

IRRIGATOR SPARE PARTS CATALOGUE



Specialist provider of
DAIRY EFFLUENT EQUIPMENT

NZ 0800 464 393

nevadagroup.co.nz

AUS 1800 963 490

nevadagroup.com.au

 **nevada**[®]
Sustainable Effluent Management





Nevada stocks a large range of Irrigator spare parts

Greenback Magnum	4
Greenback Spider	8
Spider Deluxe	12
Spider	16
Super Spider	19
Super Duper	22
Conversion Kits	25
Inline Filters	27

Welcome to Nevada

Your dairy effluent system needs to be future proofed, council compliant, safe, and maximising profitability for your farm! As accredited dairy effluent designers, Nevada's here to help you achieve that.

**Nevada Ltd endeavors to ensure that the information presented in this publication is accurate, current and correct. However, we do not accept any liability for errors, omissions, or outdated content. Nevada Ltd reserves the right to alter specifications, components, design at our discretion and without notice. All material and information presented in this publication is copyright 2024 Nevada Ltd. All rights reserved. All product warranties are limited.*

Q3-2024



SP5L



SP110



SP2



SP1



GB1



GBM900



GBM107

Most Required Parts

CODE	DESCRIPTION
SP5L	Camfollower Assembly
SP110	Side Plate Nylon Bearings
SP1	Power Nozzle
SP2	Nozzle Clamp
GBM900	Cam Service Kit, bearings, seals, o ring and circlip only
GBM107	Rotor Spindle
GB1	250m of 5mm Galv Wire Rope with fittings
SW5250	250m of 5mm Synthetic Wire Rope with fittings
GB3	300m of 5mm Galv Wire Rope with fittings
SW5300	300m of 5mm Synthetic Wire Rope with fittings
GB5	400m of 5mm Galv Wire Rope with fittings
SW5400	400m of 5mm Synthetic Wire Rope with fittings

Stainless Steel Wire Rope available on request.



GB106

Cam

CODE	DESCRIPTION
GB106	Cam and bearing housing
BEAR6012-2RS	Bearing Top
CEXT060B	60mm External Circlip
HX10030G	M10 x 30 Hex Bolt/Nut 4.6 Galv
BEAR6013-2RS	Bearing Bottom
304NNYL10	M10 Nyloc Nut SS304
ORING76X4	O ring
HX10040G	M10 x 40 Hex Bolt/Nut 4.6 Galv
GBM107	Rotor Spindle (tapered S/S pipe that carries bearings)
SEAL60X95	Seal 60 x 95 (1x per machine)



SP5L

316WFL058112

SP5L/E



SP5L/B

SP5L/D

Camfollower

CODE	DESCRIPTION
SP5L/B	Bolt with grease nipple
316WFL058112	M16 Flat Washer SS316
SP5L/D	Bush S/S
SP5L/E	Bearing Camfollower
SP5L	Complete Assembly



SP7G

SP7G SP8



SP3/3

SP21

Springs

CODE	DESCRIPTION
SP7G	Tooth Spring Galv
SP8	Crank Return Spring
SP3/3	Brake Spring
SP21	Barrel Spring (takes strain off wire when irrigator is tripped out)



SP3

Break Assembly

CODE	DESCRIPTION
SP3	Brake Assembly
SP3/2	Brake Block
SP3/3	Spring
WFH1025G	M10 Heavy Flat Washer Galv
SP301	Splitpin



GB800

Auto Shutoff Valve

CODE	DESCRIPTION
GB800	65mm Shut Off Valve
ASV7	Trip Wire Cable 3mm s/s



SP111



SP113

Tooth

CODE	DESCRIPTION
SP111	Ratchet Tooth
SP113	Tooth pin including split pins



Boom

CODE	DESCRIPTION
SIME	Sime Synkro Raingun
SP115	Rotor Intermediate Extensions
SP116	Rotor Outer Extension 80° Bend (includes SP0)
GBM200	Gland Assembly
GBM201	Spindle Stem
SP118	Stay Rod & Nuts
GBM203	Stay Rod Centre Support
GBM118	Stay Rod Short
GBM957526	Nylon Bush with Seals
SP0	Nozzle with Clamp and Quick Release Fittings
SEAL60X75	Seal 60 x 75 (6x per machine)



Wire Accessories

CODE	DESCRIPTION
WIRE5G	Wire rope 5mm Galv per metre
SW5	Wire rope 5mm Synthetic per metre
WIRE5SS	Wire rope 5mm SS per metre
SLEEVE5	5mm Sleeve (crimp)
THIMBLE5	5mm Thimble (eye)
GB120	Trip Wire (5mm wire)
DSHL06G	6mm D Shackle Galv
SP121	Wire Guide (where the wire runs through on irrigator)
SP66	Anchoring Chain, Grab hook and D Shackle
SP21	Barrel Spring
SP22	Barrel Washer
SP20	Wire Stop (lets you stop the irrigator anywhere along the rope)



Drum and Crank

CODE	DESCRIPTION
SP108	Left Bearing Side Plate (includes bush)
SP109	Right Bearing Side Plate (includes bush)
GB104	Crank
SP104B	Crank Bush
SP4	Winch Crank Handle
GB103	Winch Drum with Collar (not including shaft)
GB91	Stainless Steel Drum Axle
GBSCP	GB Speed Change Pipe



GB11



SP45



WL

Wheels

CODE	DESCRIPTION
GB11	Wheel Assembly
SP11B	Wheel Bush/pair
B3	Wheel Lynch Pin
WFH2039G	M20 Flat Washer Galv

All GB Magnums have 19mm axles.

Tow Hitch

CODE	DESCRIPTION
SP45	Tow Hitch Assembly (incl bolts)

Wire Layer

CODE	DESCRIPTION
WL	Wire Layer GB Magnum



SP5L



SP110



SP2



SP1



GB1



GB900



GB107

Most Required Parts

CODE	DESCRIPTION
SP5L	Camfollower Assembly
SP110	Side Plate Nylon Bearings
SP1	Power Nozzle
SP2	Nozzle Clamp
GB900	Cam Service Kit, bearings, seals, o ring and circlip only
GB107	Rotor Spindle
GB1	250m of 5mm Galv Wire Rope with fittings
SW5250	250m of 5mm Synthetic Wire Rope with fittings
GB3	300m of 5mm Galv Wire Rope with fittings
SW5300	300m of 5mm Synthetic Wire Rope with fittings
GB5	400m of 5mm Galv Wire Rope with fittings
SW5400	400m of 5mm Synthetic Wire Rope with fittings

Stainless Steel Wire Rope available on request.



GB106

Cam

CODE	DESCRIPTION
GB106	Cam and bearing housing
BEAR6012-2RS	Bearing Top
CEXT060B	60mm External Circlip
HX10030G	M10 x 30 Hex Bolt/Nut 4.6 Galv
BEAR6013-2RS	Bearing Bottom
304NNYL10	M10 Nyloc Nut SS304
ORING76X4	O ring
HX10040G	M10 x 40 Hex Bolt/Nut 4.6 Galv
GB107	Rotor Spindle (tapered S/S pipe that carries bearings)
SEAL60X95	Seal 60 x 95 (1x per machine)



SP5L

316WFL058112

SP5L/E



SP5L/B

SP5L/D

Camfollower

CODE	DESCRIPTION
SP5L/B	Bolt with grease nipple
316WFL058112	Side Plate Nylon Bearings
SP5L/D	Bush S/S
SP5L/E	Bearing Camfollower
SP5L	Complete Assembly



SP7G

SP7G SP8



SP3/3

SP21

Springs

CODE	DESCRIPTION
SP7G	Tooth Spring Galv
SP8	Crank Return Spring
SP3/3	Brake Spring
SP21	Barrel Spring (takes strain off wire when irrigator is tripped out)



SP3

Break Assembly

CODE	DESCRIPTION
SP3	Brake Assembly
SP3/2	Brake Block
SP3/3	Spring
WFH1025G	M10 Heavy Flat Washer Galv
SP301	Splitpin



GB800

Auto Shutoff Valve

CODE	DESCRIPTION
GB800	65mm Shut Off Valve
ASV7	Trip Wire Cable 3mm s/s



SP111



SP113

Tooth

CODE	DESCRIPTION
SP111	Ratchet Tooth
SP113	Tooth pin including split pins



Rotor Boom

CODE	DESCRIPTION
SP114	Rotor Centre
SP115	Rotor Intermediate Extensions
SP116	Rotor Outer Extension 80° Bend (includes SP0)
SP116A	Rotor Outer Extension 10° Bend (includes SP0)
GB117	Stay Support Pole & Bolt
GB119	Stay Rod Extensions
SP118	Stay Rod & Nuts
SP1M	Nozzle quick release fittings male
SP1F	Nozzle quick release fitting female
SP1	Power Nozzle with 13mm hole
SP2	Nozzle Clamp
SP0	Nozzle with Clamp and Quick Release Fittings
SEAL60X75	Seal 60 x 75 (3x per machine)



Wire Accessories

CODE	DESCRIPTION
WIRE5G	Wire rope 5mm Galv per metre
SW5	Wire rope 5mm Synthetic per metre
WIRE5SS	Wire rope 5mm SS per metre
SLEEVES	5mm Sleeve (crimp)
THIMBLE5	5mm Thimble (eye)
GB120	Trip Wire (5mm wire)
DSHKL06G	6mm D Shackle Galv
SP121	Wire Guide (where the wire runs through on irrigator)
SP66	Anchoring Chain, Grab hook and D Shackle
SP21	Barrel Spring
SP22	Barrel Washer
SP20	Wire Stop (lets you stop the irrigator anywhere along the rope)



Drum and Crank

CODE	DESCRIPTION
SP108	Left Bearing Side Plate (includes bush)
SP109	Right Bearing Side Plate (includes bush)
GB104	Crank
SP104B	Crank Bush
SP4	Winch Crank Handle
GB103	Winch Drum with Collar (not including shaft)
GB91	Stainless Steel Drum Axle
GBSCP	GB Speed Change Pipe



GB11



SP45



WL

Wheels

CODE	DESCRIPTION
GB11	Wheel Assembly
SP11B	Wheel Bush/pair
B3	Wheel Lynch Pin
WFH2039G	M20 Flat Washer Galv

All Greenbacks have 19mm axles.

Tow Hitch

CODE	DESCRIPTION
SP45	Tow Hitch Assembly (incl bolts)

Wire Layer

CODE	DESCRIPTION
WL	Wire Layer Greenback



CODE	DESCRIPTION
SP5	Camfollower Assembly
SP110	Side Plate Nylon Bearings
SP1	Power Nozzle
SP2	Nozzle Clamp
DL900	Cam Service Kit, bearings, seals, o ring and circlip only
DL107	Rotor Spindle
DL1	250m of 4mm Galv Wire Rope with fittings
SW4250	250m of 4mm Synthetic Wire Rope with fittings
DL3	300m of 4mm Galv Wire Rope with fittings
SW4300	300m of 4mm Synthetic Wire Rope with fittings

DL106

DLSCM

DLSCP

CODE	DESCRIPTION
DL106	Cam and bearing housing
BEAR6010-2RS	Bearing Top
CEXT050B	50mm External Circlip
CEXT050B	M10 x 35 Hex Set Full Thrd SS304
BEAR6011-2RS	Bearing Bottom
304NNYL10	M10 Nyloc Nut SS304
ORING76X4	O-ring
SEAL50X80	Top Cam Seal
DL107	Rotor Spindle (tapered S/S pipethat carries bearings)
HX10030G	M10 x 30 Hex Bolt/Nut 4.6 Galv
WS10G	M10 Spring Washer Galv
DL900	Cam Service Kit, bearings, seals, O-ring and circlip only
DLSCP	Deluxe Speed Change Pipe
DLSCM	Deluxe Speed Change Mountt



SP5

316WFL058112

SP5E



SP5B

SP5D

Camfollower

CODE	DESCRIPTION
SP5B	Bolt with grease nipple
316WFL058112	Side Plate Nylon Bearings
SP5D	Bush S/S
SP5E	Bearing Camfollower
SP5	Complete Assembly



SP7G

SP8



SP3/3

SP21

Springs

CODE	DESCRIPTION
SP7G	Tooth Spring Galv
SP8	Crank Return Spring
SP3/3	Brake Spring
SP21	Barrel Spring (takes strain off wire when irrigator is tripped out)



SP3

Break Assembly

CODE	DESCRIPTION
SP3	Brake Assembly
SP3/2	Brake Block
SP3/3	Spring
WFH1025G	M10 Heavy Flat Washer Galv
SP301	Splitpin



DL800

Auto Shutoff Valve

CODE	DESCRIPTION
DL800	50mm Shut Off Valve
ASV7	Trip Wire Cable 3mm s/s



SP111

SP113

Tooth

CODE	DESCRIPTION
SP111	Ratchet Tooth
SP113	Tooth pin including split pins



Rotor Boom

CODE	DESCRIPTION
DL114	Rotor Centre
SP116	Rotor Outer Extension 80° Bend (includes SP0)
SP116A	Rotor Outer Extension 10° Bend (includes SP0)
SP117	Stay Support Pole & Bolt
SP118	Stay Rod & Nuts
SP1M	Nozzle quick release fittings male
SP1F	Nozzle quick release fitting female
SP1	Power Nozzle with 13mm hole
SP2	Nozzle Clamp
SP0	Nozzle with Clamp and Quick Release Fittings
SEAL60X75	Seal 60 x 75 (3x per machine)



Wire Accessories

CODE	DESCRIPTION
WIRE4G	Wire rope 4mm Galv per metre
SW4	Wire rope 4mm Synthetic per metre
WIRE45SS	Wire rope 4mm SS per metre
SLEEVE4	4mm Sleeve (crimp)
THIMBLE4	4mm Thimble (eye)
DL120	Trip Wire (4mm wire)
DSHKL06G	6mm D Shackle Galv
SP121	Wire Guide (where the wire runs through on irrigator)
SP67	Anchoring Chain, Grab hook and D Shackle
SP21	Barrel Spring
SP22	Barrel Washer
SP20	Wire Stop (lets you stop the irrigator anywhere along the rope)



Drum and Crank

CODE	DESCRIPTION
DL103	Winch Drum with Collar (not including shaft)
DL104/1	Crank Complete (for removable drum axle)
DL104/2	Crank Complete (for welded in drum axle)
SP104B	Crank Bush
SP108	Left Bearing Side Plate (includes bush)
SP109	Right Bearing Side Plate (includes bush)
SP110	Side Plate Nylon Bearing
SP4	Winch Crank Handle
DL91	Deluxe Drum Axle



SP11

Wheels

CODE	DESCRIPTION
SP11	Wheel Assembly
SP11B	Wheel Bush/pair
B3	Wheel Lynch Pin
WFH2039G	M20 Flat Washer Galv

Wheel includes 19mm bushes. Spiders prior to 2004 require 20mm.
Please state bush size when ordering.



SP45

Tow Hitch

CODE	DESCRIPTION
SP45	Tow Hitch Assembly (incl bolts)



WL

Wire Layer

CODE	DESCRIPTION
WL	Wire Layer Deluxe



DL102



DL101



DL122

Main Frame

CODE	DESCRIPTION
DL101	Rear frame and axle
DL102	Front frame and draw bar
DL122	Hose Puller
GB124	GB Skid/Drawbar



SP5



SP110



SP2



SP1



S1



S900



S107



S106

Most Required Parts

CODE	DESCRIPTION
SP5	Camfollower Assembly
SP110	Side Plate Nylon Bearings
SP1	Power Nozzle
SP2	Nozzle Clamp
S900	Cam Service Kit, bearings, seals, o ring and circlip only
S107	Rotor Spindle
S1	200m of 3mm Galv Wire Rope with fittings

Cam

CODE	DESCRIPTION
S106	Cam and bearing housing
BEAR6009-2RS	Bearing Top
CEXT045B	45mm External Circlip
BEAR6011-2RS	Bearing Bottom
304NNYL10	M10 Nyloc Nut SS304
ORING76X4	O-ring
SEAL45X75	Seal
S107	Rotor Spindle (tapered S/S pipethat carries bearings)
304HX10030S	M10 x 30 Hex Set Full Thrd SS304
S900	Cam Service Kit, bearings, seals, O-ring and circlip only

Camfollower

CODE	DESCRIPTION
SP5B	Bolt with grease nipple
316WFL058112	Side Plate Nylon Bearings
SP5D	Bush S/S
SP5E	Bearing Camfollower
SP5	Complete Assembly



SP5



316WFL058112



SP5E



SP5B



SP5D



SP7G



SP8



SP3/3



SP21

Springs

CODE	DESCRIPTION
SP7G	Tooth Spring Galv
SP8	Crank Return Spring
SP3/3	Brake Spring
SP21	Barrel Spring (takes strain off wire when irrigator is tripped out)

Break Assembly

CODE	DESCRIPTION
SP3	Brake Assembly
SP3/2	Brake Block
SP3/3	Spring
WFH1025G	M10 Heavy Flat Washer Galv
SP301	Splitpin



SP3



SP111



SP113

Tooth

CODE	DESCRIPTION
SP111	Ratchet Tooth
SP113	Tooth pin including split pins



S114



S116

S116/A



SP1M



SP1F



SP1



SP0



SP2

Rotor Boom

CODE	DESCRIPTION
S114	Rotor Centre
S116	Rotor Outer Extension 80° Bend (includes SP0)
S116A	Rotor Outer Extension 10° Bend (includes SP0)
SP1M	Nozzle quick release fittings male
SP1F	Nozzle quick release fitting female
SP1	Power Nozzle with 13mm hole
SP2	Nozzle Clamp
SP0	Nozzle with Clamp and Quick Release Fittings
SEAL60X75	Seal 60 x 75 (3x per machine)



SLEEVE3



THIMBLE3



DSHKL06G



S120



SP21



SP22



SP121



SP67



SP20



S103



S104



S105



S108



S109



SP10



SP4



SP10



WL



S102



S101

Wire Accessories

CODE	DESCRIPTION
WIRE3SS	Wire rope 3mm SS per metre
SLEEVE3	3mm Sleeve (crimp)
THIMBLE3	3mm Thimble (eye)
S120	Trip Wire (3mm wire)
DSHKL06G	6mm D Shackle Galv
SP121	Wire Guide (where the wire runs through on irrigator)
SP67	Anchoring Chain, Grab hook and D Shackle
SP21	Barrel Spring
SP22	Barrel Washer
SP20	Wire Stop (lets you stop the irrigator anywhere along the rope)

Drum and Crank

CODE	DESCRIPTION
S103	Winch Drum with Collar (not including shaft)
S104	Crank Complete
S105	Speed Change Plate
S108	Left Bearing Side Plate (includes bush)
S109	Right Bearing Side Plate (includes bush)
S110	Side Plate Nylon Bearing
SP4	Winch Crank Handle

Wheels

CODE	DESCRIPTION
SP10	Wheel Assembly
SP10 B	Wheel Bush/pair
B3	Wheel Lynch Pin
WFH2039G	M20 Flat Washer Galv

Wheel includes 19mm bushes. Spiders prior to 2004 require 20mm.
Please state bush size when ordering.

Wire Layer

CODE	DESCRIPTION
WL	Wire Layer

Main Frame

CODE	DESCRIPTION
S101	Rear frame and axle
S102	Front frame and draw bar



Most Required Parts

CODE	DESCRIPTION
SP5	Camfollower Assembly
SP110	Side Plate Nylon Bearings
SP1	Power Nozzle
SP2	Nozzle Clamp
SS900	Cam Service Kit, bearings, seals, o ring and circlip only
SS07	Rotor Spindle
GB1	200m of 3mm Galv Wire Rope with fittings
GB2	250m of 5mm Stainless Steel Wire Rope with fittings
GB3	300m of 5mm Galv Wire Rope with fittings
GB4	300m of 5mm Stainless Steel Wire Rope with Fittings



SS106


Cam

CODE	DESCRIPTION
SS106	Cam and bearing housing
BEAR6012-2RS	Bearing Top
CEXT060B	60mm External Circlip
BEAR6011-2RS	Bearing Bottom
304NNYL10	M10 Nyloc Nut SS304
ORING76X4	O-ring
SEAL60X95	Seal
SS107	Rotor Spindle (tapered S/S pipethat carries bearings)
304HX10035S	M10 x 35 Hex Set Full Thrd SS304
SS900	Cam Service Kit, bearings, seals, O-ring and circlip only
WS10G	M10 Spring Washer Galv
BEAR6013-2RS	Bearing Bottom

Camfollower



CODE	DESCRIPTION
SP5B	Bolt with grease nipple
316WFL058112	Side Plate Nylon Bearings
SP5D	Bush S/S
SP5E	Bearing Camfollower
SP5	Complete Assembly



Springs

CODE	DESCRIPTION
SP7G	Tooth Spring Galv
SP7S	Tooth Spring Stainless Steel
SP8	Crank Return Spring
SP3/3	Brake Spring
SP21	Barrel Spring (takes strain off wire when irrigator is tripped out)



Break Assembly

CODE	DESCRIPTION
SP3	Brake Assembly
SP3/2	Brake Block
SP3/3	Spring
WFH1025G	M10 Heavy Flat Washer Galv
SP301	Splitpin



Rotor Boom

CODE	DESCRIPTION
SP114	Rotor Centre
SP115	Rotor Intermediate Extensions
SP116	Rotor Outer Extension 80° Bend (includes SP0)
SP116A	Rotor Outer Extension 10° Bend (includes SP0)
SP117	Stay Support Pole & Bolt
SP118	Stay Rod & Nuts
SS119	Stay Rod Adaptor
SP1M	Nozzle quick release fittings male
SP1F	Nozzle quick release fittings female
SP1	Power Nozzle with 13mm hole
SP2	Nozzle Clamp
SP0	Nozzle with Clamp and Quick Release Fittings
SEAL60X75	Seal 60 x 75 (3x per machine)



Wheels

CODE	DESCRIPTION
SP11	Wheel Assembly
SP11 B	Wheel Bush/pair
B3	Wheel Lynch Pin
WFH2039G	M20 Flat Washer Galv

Wheel includes 19mm bushes. Spiders prior to 2004 require 20mm. Please state bush size when ordering.



Wire Accessories

CODE	DESCRIPTION
WIRE3G	Wire rope 5mm Galv per metre
SLEEVE5	5mm Sleeve (crimp)
THIMBLE5	5mm Thimble (eye)
SS120	Trip Wire
DSHKL06G	6mm D Shackle Galv
SP121	Wire Guide (where the wire runs through on irrigator)
SP66	Anchoring Chain, Grab hook and D Shackle
SP21	Barrel Spring
SP22	Barrel Washer
SP20	Wire Stop (lets you stop the irrigator anywhere along the rope)
SP7	Wire Guide Spring



Drum and Crank

CODE	DESCRIPTION
SS103	Winch Drum with Collar (not including shaft)
SS91	Super Spider Drum Axle
SS104	Crank Complete
SP104B	Crank Bush
SS105	Speed Change Plate
SP108	Left Bearing Side Plate (includes bush)
SP109	Right Bearing Side Plate (includes bush)
SP110	Side Plate Nylon Bearing
SP4	Winch Crank Handle



Tooth

CODE	DESCRIPTION
SP111	Ratchet Tooth
SP113	Tooth pin including split pins



Tow Hitch

CODE	DESCRIPTION
SP45	Tow Hitch Assembly (incl bolts)



Main Frame

CODE	DESCRIPTION
SS101	Rear frame and axle
SS102	Front frame and draw bar



Most Required Parts

CODE	DESCRIPTION
SP5L	Camfollower Assembly
SP110	Side Plate Nylon Bearings
SP1	Power Nozzle
SP2	Nozzle Clamp
SD900	Cam Service Kit, bearings, seals, o ring and circlip only
SD107	Rotor Spindle
GB5	400m of 5mm Galv Wire Rope with fittings
GB6	400m of 5mm Stainless Steel Wire Rope with fittings


Cam

CODE	DESCRIPTION
SD106	Cam and bearing housing
BEAR6015	Bearing Top
CEXT075B	75mm External Circlip
304HX100352S	M10 x 35 Hex Set Full Thrd SS304
BEAR6016	Bearing Bottom
304NNYL10	M10 Nyloc Nut SS304
ORING90X5	O ring
HX10040G	M10 x 40 Hex Bolt/Nut 4.6 Galv
SD107	Rotor Spindle (tapered S/S pipe that carries bearings)
SEAL75X115	Seal 60 x 95 (1x per machine)

Camfollower

CODE	DESCRIPTION
SP5L/B	Bolt with grease nipple
316WFL058112	M16 Flat Washer SS316
SP5L/D	Bush S/S
SP5L/E	Bearing Camfollower
SP5L	Complete Assembly





Springs

CODE	DESCRIPTION
SP7G	Tooth Spring Galv
SP8	Crank Return Spring
SP3/3	Brake Spring
SP21	Barrel Spring (takes strain off wire when irrigator is tripped out)



Break Assembly

CODE	DESCRIPTION
SP3	Brake Assembly
SP3/2	Brake Block
SP3/3	Spring
WFH1025G	M10 Heavy Flat Washer Galv
SP301	Splitpin



SP111



SP113

Tooth

CODE	DESCRIPTION
SP111	Ratchet Tooth
SP113	Tooth pin including split pins



WL

Wire Layer

CODE	DESCRIPTION
WL	Wire Layer Super Duper



SD114

SP116

SP118



SD117

Boom

CODE	DESCRIPTION
SD114	Rotor Centre
SP115	Rotor Intermediate Extensions
SP116	Rotor Outer Extension 80° Bend (includes SP0)
SP116A	Rotor Outer Extension 10° Bend (includes SP0)
SD117	Stay Support Pole & Bolt
SP118	Stay Rod & Nuts
SD119	Stay Rod Adaptor
SP1M	Nozzle quick release fittings male
SP1F	Nozzle quick release fitting female
SP1	Power Nozzle with 13mm hole
SP2	Nozzle Clamp
SP0	Nozzle with Clamp and Quick Release Fittings
SEAL75X90	Rotor Seal 75 x 90 (3x per machine)



SP1M

SP1F



SP1



SP0



SP2



SLEEVE5



THIMBLE5



DSHKL06G



GB120



SP21



SP22



SP121



SP66



SP20



SP108



SP109



SP104B



SP4



SP110



SS105



GB91



SD103



SD104



SP11



SP45



SD102



SD101

Wire Accessories

CODE	DESCRIPTION
WIRE5G	Wire rope 5mm Galv per metre
WIRE5SS	Wire rope 5mm SS per metre
SLEEVE5	5mm Sleeve (crimp)
THIMBLE5	5mm Thimble (eye)
GB120	Trip Wire (5mm wire)
DSHKL06G	6mm D Shackle Galv
SP121	Wire Guide (where the wire runs through on irrigator)
SP66	Anchoring Chain, Grab hook and D Shackle
SP7	Wire Guide Spring
SP21	Barrel Spring
SP22	Barrel Washer
SP20	Wire Stop (lets you stop the irrigator anywhere along the rope)

Drum and Crank

CODE	DESCRIPTION
SD103	Winch Drum
GB91	Super Duper Drum Axle
SD104	Crank Bracket
SP104B	Crank Bush
SD105	Speed Change Plate
SP108	Left Bearing Side Plate (includes bush)
SP109	Right Bearing Side Plate (includes bush)
SP110	Side Plate Nylon Bearing
SP4	Winch Crank Handle

Wheels

CODE	DESCRIPTION
SP11	Wheel Assembly
SP11 B	Wheel Bush/pair
B3	Wheel Lynch Pin
WFH2039G	M20 Flat Washer Galv

Wheel includes 19mm bushes. Spiders prior to 2004 require 20mm.
Please state bush size when ordering.

Tow Hitch

CODE	DESCRIPTION
SP45	Tow Hitch Assembly (incl bolts)

Main Frame

CODE	DESCRIPTION
SD101	Rear frame and axle
SD102	Front frame and draw bar

Greenback Magnum

CODE	DESCRIPTION
GBMCONVKIT	GB Magnum Conversion Kit

To convert from a Greenback to a GB Magnum.

Included in GB Magnum Conversion Kit

CODE	DESCRIPTION	QTY
SIME SYNKRO	Sime Synkro Raingun & Accessories	1
GBM107	Rotor Spindle	1
GBM200	Gland Assembly	1
GBM201	Spindle Stem	1
GBMTOWER	Tower	1
GBM208	GBM208	1
GBM118	Stay Rod Short	1
GBM203	Stay Rod Centre Support	1
BGV40	Gate Valve	1
SP1M	Quick Release Fitting with Male Thread	1
GS050	50mm Mall Galv Socket	1
GBM207	Aluminum Rotor Flange Blank	1
SEAL60X95	60 x 95 Metric Oil Seal	1
ORING76X4	O Ring 76 x 4	1
SP22	Barrel Washer	4
HX10040G	M10 x 40 Hex Bolt/Nut 4.6 Galv	4
WS10G	M10 Spring Washer Galv	4
CUP10030G	M10 x 30 Cup Hd Bolt/Nut 4.6 Galv	3
WFH1025G	M10 x 25 x 3 Heavy Flat Washer Galv	3
304HX10035S	M10 x 35 Hex Set Full Thrd SS304	4
304NNYL10	M10 Nyloc Nut SS304	4



Greenback Conversion Kit

CODE	DESCRIPTION
GBCONVKIT	Greenback Conversion Kit

To convert from a GB Magnum to a Greenback.

Included in Greenback Conversion Kit

CODE	DESCRIPTION	QTY
SP114	Rotor Centre	1
GB117	Stay Support Pole & Bolt	1
SP118	Stay Rod & Nuts	1
GB119	Stay Rod Extension	2
SP116A	Rotor Outer Extension 10°	1
90056000	Hole Gasket (SP24)	1
CUP10030G	M10 x 30 Cup Hd Bolt/Nut 4.6 Galv	3
WFH1025G	M10 x 25 x 3 Heavy Flat Washer Galv	3




Spider Deluxe Conversion Kit


CODE	DESCRIPTION
DLCONVKIT	Spider Deluxe Conversion Kit

To convert from a Deluxe Junior to a Spider Deluxe.


Included in Spider Deluxe Conversion Kit

CODE	DESCRIPTION	QTY
SP117	Stay Support Pole & Bolt	1
SP118	Stay Rod & Nuts	2
SP116	Rotor Outer Extension 80°	1
SP116A	Rotor Outer Extension 10°	1






ILF1637



ILF1220



ILF1612



ILF4



ILF3SS



Complete Filter and Screen

CODE	DESCRIPTION
ILF1637	16 x 37 Galv Screen
ILF1220	12 x 20 Galv Screen
ILF612	6 x 12 Galv Screen
ILF4	4mm Round Galv Screen
ILF3SS	3mm Round Stainless Steel

Filter Screen Only

CODE	DESCRIPTION
ILFS1637	16 x 37 Galv Diamond Screen
ILFS1220	12 x 20mm Diamond Hole, Galv
ILFS612	6 x 12 Diamond Hole, Galv
ILFS4	4mm Round Punched Hole, Galv
ILFS3SS	3mm Punched Hole, Stainless Steel

CODE	DESCRIPTION
529/H	Filter Lid O-Ring

Note: Filters have been designed and tested for 100psi, we do not recommend pressures higher than 100psi.



Trusted for
Safety & Reliability*



Specialist provider of

DAIRY EFFLUENT EQUIPMENT

NZ 0800 464 393

nevadagroup.co.nz

AUS 1800 963 490

nevadagroup.com.au



nevada®

Sustainable Effluent Management